




Cangzhou Weisitai Scaffolding Co.,Ltd

Industrial zone of Botou, Cangzhou, Hebei, China
TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com

Shore prop Accessories

WST Scaffolding Prop Sleeve System including prop sleeve, prop nut ,prop plate and prop pins. They are used to connect the prop pipes and adjust the height of the steel shore prop, and the prop sleeve usually match the OD60mm outer pipes and OD48mm inner pipes . Customized types of prop sleeve and prop nut are also available.





Cangzhou Weisitai Scaffolding Co.,Ltd

Industrial zone of Botou, Cangzhou, Hebei, China
TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstscaffolding.com

1. Prop Sleeve

Material: Q235 Steel					
Finish: Original , Painted, Electro Galvanized, HDG					
Color: Original Self Color, Silver or golden color					
Craft: Rolling thread or CNC thread					
Strength: 40KN					
Application: Connect the inner pipe and outer pipe of steel props					
Diameter	60mm	Thickness	2.5/3/3.5mm	Length	150-400mm
Size and Weight					
Thickness 2.5mm	Weight	Thickness 3.0mm	Weight	Thickness 3.5mm	Weight
Height 200mm	0.58kg	Length 200mm	0.72kg	Length 200mm	0.78kg
Length 210mm	0.62kg	Length 210mm	0.76kg	Length 210mm	0.83kg
Length 220mm	0.65kg	Length 220mm	0.80kg	Length 220mm	0.888kg
Length 230mm	0.68kg	Length 230mm	0.83kg	Length 230mm	0.93kg
Length 240mm	0.71kg	Length 240mm	0.86kg	Length 240mm	0.98kg
Length 250mm	0.74kg	Length 250mm	0.90kg	Length 250mm	1.02kg
Remark:					
1. For items 3.5MM thick or thicker , CNC craft is ok, for items less than 3.5MM, threading machine is ok					
2. OD76MM prop sleeve is also available, it's with CNC thread, 4MM or 5MM thick					



Cangzhou Weisitai Scaffolding Co.,Ltd

Industrial zone of Botou, Cangzhou, Hebei, China
TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com

2. Prop Nut

Material	Ductile Casted Iron QT450-10
Finish	Original , Painted, Electro Galvanized, HDG
Color	Original Self Color, Silver or golden color
Application	To adjust the height of steel props
Weight	0.47/0.5/0.6/0.75kg etc.
Handle	With or without handle are both ok

Remark: More types or customized types available



3. Prop Cup Nut




Pics		
Material	Q235 steel	Caste iron QT450-10
Weight(kg)	1.38	0.95
Finish	Natural, Galvanized, HDG	
Color	Original Self Color, Silver or golden color	
Application	To connect the pipes and adjust the height of steel props	



Cangzhou Weisitai Scaffolding Co.,Ltd







Industrial zone of Botou, Cangzhou, Hebei, China
 TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com

4. Prop Plate

Pics			
Material	Q235 Steel		
Size(mm)	110*110*4	120*120*4	140*140*6
Weight(kg)	0.31	0.31	0.66
Finish	Natural, Galvanized, HDG		
Color	Original Self Color, Silver or golden color		
Application	To support the steel prop pipes		

Remark: More types or customized types available

5. Prop Pins

Pics						
Material	Q235 Steel					
Dia(mm)	11/12	11/12	11/12	12/14/16	12	12
Weight (kg)	0.15	0.085	0.105	0.32/0.46/0.78	0.133	0.085
Finish	Natural, Galvanized, HDG					
Color	Original Self Color, Silver or golden color					
Application	To fix and adjust the height of the steel props with prop sleeve together					

